

753/1864

35 U.S.C. § 101  
09/826146



|       |         |                      |
|-------|---------|----------------------|
| Class | Subject | ISSUE CLASSIFICATION |
|       |         |                      |

|               |
|---------------|
| PATENT NUMBER |
|               |

U.S. UTILITY Patent Application

|  |          |             |
|--|----------|-------------|
| SCANNED <i>HO</i> <i>Chief</i> <i>TM</i> | O.I.P.E. | PATENT DATE |
|--|----------|-------------|

|   |                 |                  |                    |                             |                           |
|---|-----------------|------------------|--------------------|-----------------------------|---------------------------|
| APPLICATION NO.<br>09/826146  | CONT/PRIOR<br>D | CLASS<br>A36 435 | SUBCLASS<br>28 7.1 | ART UNIT<br>1743 <i>744</i> | EXAMINER<br><i>Beiser</i> |
| APPLICANTS<br>Wallace Lewis<br>James Tumlinson<br>Dawn Olson<br>Glen Rains  |                 |                  |                    |                             |                           |
| TITLE<br>Utilization of invertebrate learning for flexible and sensitive monitoring and identification of chemicals |                 |                  |                    |                             |                           |

PTO-2040  
12/99

| ISSUING CLASSIFICATION       |          |                    |                                   |  |  |  |  |
|------------------------------|----------|--------------------|-----------------------------------|--|--|--|--|
| ORIGINAL                     |          | CROSS REFERENCE(S) |                                   |  |  |  |  |
| CLASS                        | SUBCLASS | CLASS              | SUBCLASS (ONE SUBCLASS PER BLOCK) |  |  |  |  |
|                              |          |                    |                                   |  |  |  |  |
| INTERNATIONAL CLASSIFICATION |          |                    |                                   |  |  |  |  |
|                              |          |                    |                                   |  |  |  |  |
|                              |          |                    |                                   |  |  |  |  |
|                              |          |                    |                                   |  |  |  |  |
|                              |          |                    |                                   |  |  |  |  |
|                              |          |                    |                                   |  |  |  |  |
|                              |          |                    |                                   |  |  |  |  |

☐ Continued on Issue Slip Inside File Jacket

|   |  |  |  |   |  |
|---|--|--|--|---|--|
| <input type="checkbox"/> <b>TERMINAL DISCLAIMER</b><br><br><input type="checkbox"/> The term of this patent subsequent to _____ (date) has been disclaimed.<br><br><input type="checkbox"/> The term of this patent shall not extend beyond the expiration date of U.S. Patent No. _____<br><br><input type="checkbox"/> The terminal _____ months of this patent have been disclaimed. | <b>DRAWINGS</b><br>Sheets Drwg.    Figs. Drwg.    Print Fig. |  |  | <b>CLAIMS ALLOWED</b><br>Total Claims    Print Claim for O.G. |  |
|   | _____ (Assistant Examiner)    _____ (Date)                   |  |  | <b>NOTICE OF ALLOWANCE MAILED</b>                             |  |
|   | _____ (Primary Examiner)    _____ (Date)                     |  |  | <b>ISSUE FEE</b><br>Amount Due    Date Paid                   |  |
|   | _____ (Legal Instruments Examiner)    _____ (Date)           |  |  | <b>ISSUE BATCH NUMBER</b>                                     |  |

**WARNING:**  
The information disclosed herein may be restricted. Unauthorized disclosure may be prohibited by the United States Code Title 35, Sections 122, 181 and 368. Possession outside the U.S. Patent & Trademark Office is restricted to authorized employees and contractors only.

Form PTO-438A  
(Rev. 6/99)

FILED WITH: ☐ DISK (CRF) ☐ FICHE ☐ CD-ROM  
(Attached in pocket on right inside flap)

BEST AVAILABLE COPY